MATERIALS ACCEPTANCE - MANUFACTURED PRODUCTS

QUALIFIED PRODUCTS

- Scope: The following products are qualified based on laboratory and field testing, source approval, or other criteria.
- Use: Product acceptance is not based solely on being a qualified product; certification documentation may be required as specified and noted on WYDOT Form T-131, *Manufactured Products Received*.
 - Note: Qualification may lapse and it is the contractor's responsibility when specifications require to ensure that material qualifications are current.

Reference

Documents: WYDOT T-131 Manufactured Products Received

QUALIFIED PRODUCTS INCLUDE THE FOLLOWING:

A. HORIZONTAL CONCRETE REPAIR PRODUCTS

Dayton Superior HD-50 Sure Patch

Pave Patch 3000 Rapid Resin Repait

Five Star Products Five Star Structural Concrete

Sika Corporation SikaQuick 1000 Sikacrete 321 FS

Thoroc (Degussa) 10-60 Rapid Mortar

Tamms Speedcrete 2028

Unitex Pro-Poxy 2500

US Mix Products Transpatch Polypatch FR US Spec Transpatch Concrete

CTS Cement/Rapid Set DOT Repair Mix Concrete Mix SikaQuick 2500

Five Star Structural Concrete ES

Sikatop 122 Plus Mortar

10-61 Rapid Mortar

Duralflex Fastpatch

ProPoxy AWP

EPM 3000 NS US Spec STR Mortar

Cement All

B. VERTICAL/OVERHEAD CONCRETE REPAIR PRODUCTS

Dayton Superior HD-25 VO Civil/Structural VO

Polyfast FS

Five Star Products Five Star Structural Concrete V/O

CTS Cement/Rapid Set Mortar Mix

Thoroc (Degussa) HBA Repair Mortar

Sika Corporation Sika Repair 223 Sikatop 123 Plus

Sikacrete 211 SCC Plus

C. DOWEL BAR RETROFIT CONCRETE PRODUCTS

American Highway Technologies Dowel Bar Retrofit Mortar Concentrate (Mobile Mixer)

Five Star Products Five Star Highway Patch Mortar

Five Star Highway Patch Cement (MobileMixer)

Thoroc (Degussa) 10-60C Rapid Cement (Mobile Mixer)

10-60 Rapid Mortar

CTS Cement/Rapid Set DOT Repair Mix

D. DOWEL BAR RELEASE AGENT Petroleum paraffin based lubricant:

> **Dayton Superior** DSC BB-Coat

Valvoline Tectyl 506

Any white pigmented wax-based curing compound meeting AASHTO M 148 (ASTM C-309), Type 2, Class A.

E. ASPHALT (LOAD-BED) RELEASE AGENTS

Refer to Texas DOT approved products list. Contact WYDOT Materials 777-4074 for more information.

F. CONCRETE EVAPORATION RETARDANTS

BASF Construction Chemicals MasterKure ER 50

Sika Corporation Sikafilm

Dayton Superior Auqafilm Concentrate J74

Auqufilm J74RTU

W.R. Meadows Evapre

G. QUALIFIED FLY ASH / POZZOLAN

FLY ASH APPROVED FOR GENERAL USE

Boral

Laramie River Plant, Wheatland, WY - Class C Denver Terminal, Craig, CO - Class F Craig, Craig, CO - Class F

Headwaters

Bridger, Rock Springs, WY - Class F Coal Creek, ND - Class F Dolet Hills, Mansfield, LA – Class F Limestone, Jewett, TX - Class F Martin Lake, Tatum, TX - Class F Navajo, Page, AZ – Class F

Salt River Materials Group

Gallup, NM - Class F

FLY ASH APPROVED FOR ASR MITIGATION

Boral

Denver Terminal, Craig, CO - Class F Craig, Craig, CO - Class F

Headwaters

Coal Creek, ND - Class F Dolet Hills, Mansfield, LA – Class F Limestone, Jewett, TX - Class F Martin Lake, Tatum, TX - Class F Navajo, Page, AZ – Class F

Salt River Materials Group

Gallup, NM - Class F