



***SecureETag™  
Dealer Module  
User's Guide***



Version 1.0  
July 2018

---

User's Guide  
Dealer Module  
Version 1.0

This document contains information belonging to **OpSec Security Inc.**; its use is provided under a license agreement which contains the restrictions of use and is protected by copyright laws.

Total or partial reproduction of this document and transmission of same by any means, electronic, mechanical, photocopy, or any other means is prohibited without previous and written permission by **OpSec Security Inc.**

All rights reserved © 2018, by **OpSec Security Inc.**

The information contained in this document is subject to change without previous warning. The editions will be distributed to notify of such changes and/or additions.

If there is any inconvenience or error in the document, please inform us in writing. **OpSec Security Inc.** does not guarantee that this document is free of mistakes.



**Copyright© 2018**  
**All rights reserved**

# Contents

---

<b>About this Guide.....</b>	<b>5</b>
Guide organization.....	6
Getting to know the system.....	6
Managing Temporary Tag.....	6
Managing Seal Supply.....	6
Troubleshooting.....	6
<b>Getting to know the system.....</b>	<b>7</b>
Overview.....	8
Logging In.....	10
Logging Out.....	14
<b>Managing Temporary Tag.....</b>	<b>15</b>
Issue a New Tag.....	16
Replace a Tag.....	24
Expire a Tag.....	27
Search Temporary Tags.....	29
<b>Managing Seal Supply.....</b>	<b>33</b>
Receive Shipment.....	34
Review Shipments Status.....	38
<b>Managing Users Module.....</b>	<b>39</b>
Create User Account.....	40
Edit User Account Information.....	43
Disable User Account.....	45
<b>Ordering Seals.....</b>	<b>47</b>
To Place an Order.....	48
<b>Troubleshooting.....</b>	<b>53</b>
<b>Evaluation Form.....</b>	<b>59</b>

**This page has been intentionally left blank.**

# About this Guide

---

The SecureETag® users' guide has been written with the objective of providing detailed information necessary to use the functions of the system.

This guide provides a helpful assistance for system users. It also serves as support for the training of future users.

The manner in which this manual has been structured has as an objective to gradually teach users, explaining to them the rules to follow within each one of the processes which must be executed through the system. It gives, furthermore, a description of each screen form and examples of the reports and queries.

Once the user has finished reading this document he/she can use the system and count on this manual as reference material for doing any activity within the system. Each system module is presented as a chapter, which permits the user direct access to the explanation which he/she needs.

Upon finishing the study of this manual, the reader will have a complete understanding of the process which is done to issue and replace temporary tags, to accept or reject seal shipments, and others.

## Guide organization

---

This guide is organized according to the modules which comprise the system. Each module is separated in chapters, which permits the user to go directly to the necessary explanation. For example, if the user wishes to refresh their knowledge of how to log in, or how to exit the system, he/she can read the chapter “Getting to know the system”.

The modules included in this manual are the following:

### Getting to know the system

This section has the objective of introducing the reader to the system by giving them an overall application concept and teaching them how to log in, to change password, to use the menu and logout of the system.

### Managing Temporary Tag


This module will teach you how to issue a new tag, to affix the security seal, to replace an existing tag and inactivate an active tag.

### Managing Seal Supply

This section will show you how to receive or reject seal shipments.

### Troubleshooting

This module shows details about possible errors or problems that may occur, along with how to fix them.



# Getting to know the system

---

This chapter introduces you to the SecureETag system. The chapter components are:

- Overview
- Logging in
- Logging off

## Overview

The SecureETag™ system is a web-based application enabling the Wyoming Department of Transportation (WYDOT) and automotive dealerships to issue, replace, expire and track temporary tags in a secure fashion. The SecureETag system allows for the creation and management of temporary tags, and for the association of those tags to an inventory-controlled security seal.

The SecureETag solution also allows both authorized dealers and the WYDOT to manage and monitor the lifecycle of the temporary tags, including:

- Issuing a new temporary tag
- Replacement of a lost or damaged tag
- Expiration of the tag

This system also provides the ability to quickly search for and identify expired, fraudulent and tampered vehicle tags; it also allows qualified users to generate reports reflecting this data.

### About the Temporary Tags

The temporary tag is generated from data entered in the SecureETag system. The date of expiration is automatically determined based on the vehicle purchase date.

The status of the temporary tag changes to *Issued* once the SecureETag serialized security seal and expiry date are initialized and accepted in the SecureETag system.

The temporary tag is printed on demand to a connected printer that supports printing images in Portable Document Format (PDF). A security Seal can only be used once, if a tag is expired it is no longer usable.

Wyoming							
TEMPORARY PLACARD							
VIN:	1FT7W2BT3CEC55152		YEAR	2012	MAKE	FORD	
MODEL:	F250SU		COLOR:	BLUE/WHITE			
<b>WY-383-942</b>							
Expiration Date:			Place Security Seal Here				
<b>MAR 16 - 2018</b>							
<small>(Remove below section and keep in the vehicle)</small>							
Issue Date	Expiration Date	VIN	Year	Make	Model	Color	
2/16/2018	3/16/2018	1FT7W2BT3CEC55152	2012	FORD	F250Super	Blue/White	
Owner Name	Mailing Address		City	State	Zip		
MORRIS, QUINN ALLISON	1 MAIN ST.		CHEYENNE	WYOMING	82001		
Dealer Name	Dealer Number	Issuing Location		Placard Number			
WYOMING AUTO DEALER	DLR0000001	WYOMING AUTO DEALER		WY-383-942			
TEMPORARY PLACARD							

Sample Temporary Tag



## About the Security Seals

The security seal provides a unique identifier that is affixed to a Dealer generated temporary tag. It allows law enforcement to quickly and accurately determine validity of a temporary tag applied to a vehicle.

The SecureETag security seal uses a system where the unique number and the expiration date are placed on top of a tamper-evident security device and then laminated with protective material. This system protects both the unique number and expiration date from alteration and duplication because the expiration date is written in ink and covered by tamper-proof material.

The protective backing of the SecureETag security seal will be removed and the security seal will be affixed to the printed temporary tag.

On the security seal, the motor vehicle dealer will fill in the expiration date by hand, using a permanent marker (such as a Sharpie Extra Fine Point Marker) and seal the protective overlaminates, covering the handwritten expiration date.

Without the security seal affixed the temporary tag is not valid. The date of expiration and security seal identifier must match on both the security seal and on the temporary tag.



## Logging In

Access to the SecureETag application is based on system-defined privileges and restricted by user type. SecureETag supports the following user types for Dealers:

- Clerk
- Supervisor/Manager



**Note:** This guide only supports functionality for the **Clerk** user role.

To log into the SecureETag system follow the next procedure:

1. Use one of the following web browser:

Browser	Version
Chrome	23 or above
Firefox	17 or above
Internet Explorer	10 or above
Opera	12 or above
Safari	6 or above

2. Go to the SecureETag website at: <https://secureetagwy.opsecsecurity.com/>

Please log in.

Username

Password

Log In Reset

[Forgot your password?](#)


Powered by OpSec Security

Log In Screen

3. Enter your **Username** and your **Password**.




**Note:** Both the **Username** and the **Password** are **Case Sensitive**.

4. Click the **Log In** button. 
5. If you make a mistake entering the username or password, the system will return an error message. See the next figure. Reenter the username and password.




6. If you forgot your password you can reset it. To reset password click the [Forgot your password?](#) link.



Password reset screen

- 6.1. Enter your username and click the **Request Password Reset** button. An email will be sent to your email account with a temporary password. Make sure you change the temporary password upon logging into the system.
- 6.2. Follow the instructions in the email to reset your password.

7. If your password has expired, you will be forced to change your password. The system will display the message "Your password has expired and must be changed" and display a screen as shown in the following figure.

- 7.1. Enter your current password in the field **Your current password**.
- 7.2. Enter the new password in the field **New password**. Passwords must be at least eight (8) characters long and must contain at least one of each of the following characters:
- Numbers (0-9).
  - Upper and lowercase letters (A-Z and a-z). The password is case-sensitive, so a "B" is different from a "b".
  - The following symbols: ! " # \$ % & ' ( ) \* + , - . / : ; < = > ? @ [ \ ] ^ { | } ~
- 7.3. Reenter the same password in the field **Re-enter new password**.
- 7.4. Click the **Go** button. 
- 7.5. The old password and the new password need to be different otherwise the system will prompt to change the password again.
8. If everything is OK, you will be logged in the system and the options menu of the system for this user type is shown.


9. If your password will soon expire, you will see an expiration warning message, "Your password will soon expire" at the top of the page. In order to change the password you have to click on the **Change Password** option at the top of the screen.




## Logging Out

---

To log out of SecureETag system, click the [Logout](#) link in the upper right-hand corner of the web page.





## Managing Temporary Tag

---

This module is the component of the system to manage all the information about temporary tags.

This module contains detailed instructions for the following processes:

- Issue a new tag
- Replace a tag
- Expire a tag
- Search for a temporary tag


## Issue a New Tag

The SecureETag system enables secure local printing of temporary vehicle tags by an authorized dealer. The temporary tag is computer generated as a direct result of the *Issue Tag* information inputs, and is specific to the vehicle being purchased.

The system determines the expiration date of the tag to be 60 calendar days after the issue date. The tag becomes active once the serialized security seal and expiry date are initialized and accepted in the SecureETag system.

Procedure to issue a new tag:

1. Click the **Issue Tag** tab.

2. Enter the Vehicle Identification Number (VIN).
3. Click the **Verify** button. 
4. If the VIN cannot be decoded (the vehicle was manufactured before 1981, the vehicle is foreign made, etc.) the system will return an error message stating "VIN ##### could not be successfully looked up." If the VIN entered is correct, enter it again and the system will accept the entry.



**Note:** When a VIN is not decoded, simply enter the same VIN again and the system will transition to the next screen, operator will have to select Make, enter Model and Year.



5. If the VIN exists in the SecureETag system, it will be verified and information about the vehicle will be populated.
6. The application will display a screen as shown in the figure below, requesting the information to generate the temporary tag.

7. If the vehicle owner is an individual:
  - 7.1. Enter the name of the individual vehicle owner filling the fields: **First Name**, **Middle Initial** and **Last Name**.



**Note:** The *Last Name* is required, but the *First Name* and *Middle Initial* are optional.

8. If the vehicle owner is a company, enter the name of the company in **Company Name** field.



**Note:** If the vehicle owner is both a person and a company, enter both the company name and the person's name in the **Company Name** field.

9. The dealer and seller name will auto populate by the user login.
10. Enter the address, city, zip code and county in their respective fields.
11. If the selected State is WY then a County must be selected from the County Dropdown
12. Enter the vehicle purchase date. The purchase date must be in the format MM/DD/YYYY.
13. Enter the vehicle *Make*, *Model*, and *Year* information. If the system is successfully decoded the VIN, this information will be prepopulated.



**Note:** When the Make is not found among the options then Other can be selected and after clicking "Continue" it will return to the screen and the Make will be an open field.

14. Select the Primary Color.
15. Secondary Color is optional.
16. If you want to stop issuing the new tag, click the **Cancel** button. If you want to issue the new tag, click the **Continue** button. The application will display a screen as shown in the figure below, requesting the Security Seal Number to be entered.

Cancel

Continue

17. If you want to stop issuing the new tag, click the **Cancel** button, otherwise enter the serial number from the new security seal. Click the **Review Before Printing** button.

Review Before Printing



18. Review the **Issue Tag** input information. For this, the system shows a screen with all information that was entered.



**Note:** The information needs to be reviewed thoroughly because after a tag is issued it cannot be changed or used again.

Issue Tag	Replace Tag	Expire	Search	Administration	Reports	Seal Supply
Please review all information for correctness before printing.						
First Name	JOHN					
Middle Initial	C					
Last Name	DOE					
Address	123 HERE					
City	CHEYENNE					
State	WY					
Zip	12345					
Multiple Owners	No					
County	Laramie - 02					
Issuing Location	Sample Dealer 1					
Seller Name	Sample Dealer 1					
Purchase Date	7/17/2018					
Security Seal	WY-000-060					
VIN	1GNSCAE03BR209270					
Make	Chevrolet					
Model	TAHOE					
Year	2011					
Primary color	BLU - BLUE					
Secondary color	-					
Motorcycle Size	No					
Cancel		Issue Tag Now		Edit Values		

Review information screen

- 18.1. If there are any errors, click the **Edit Values** button to go back and correct them. 
- 18.2. If there are no errors, click the **Issue Tag Now** button. Once the *Issue Tag Now* button is clicked no further changes can be made to the entered information. 
19. The application marks the tag as **Active**, generates a PDF file so it can be printed and opens a print document dialog box. If there are no errors on the tag, print the tag.



**Note:** Don't close the print document dialog box until making sure the *Temporary Tag* is printed correctly.

# Wyoming

## TEMPORARY PLACARD

VIN: **1FT7W2BT3CEC55152**  
 MODEL: **F250SU**

YEAR **2012** MAKE **FORD**  
 COLOR: **BLUE/WHITE**

**WY-383-942**

Expiration Date:

# MAR 16 - 2018



Place  
Security Seal  
Here

*(Remove below section and keep in the vehicle)*

Issue Date	Expiration Date	VIN	Year	Make	Model	Color
2/16/2018	3/16/2018	1FT7W2BT3CEC55152	2012	FORD	F250Super	Blue/White
Owner Name	MORRIS, QUINN ALLISON		Mailing Address		City	State
Dealer Name	WYOMING AUTO DEALER		1 MAIN ST.		CHEYENNE	WYOMING
Dealer Number	DLR0000001	Issuing Location	WYOMING AUTO DEALER		Placard Number	82001
					WY-383-942	

### TEMPORARY PLACARD

Sample Temporary Tag

20. Besides generating a pdf with the tag to be printed, the system displays the tag on screen.
- 20.1. If there are errors in the tag, click the **Expire This Tag** button and execute the procedure to replace tag in order to generate another temporary tag for this vehicle. **Once a tag has been expired it cannot be used again.** 
  - 20.2. If you close the print document dialog box and you need to print the tag, click the **Open Tag In New Window** button and the system opens again the print document dialog box. 

SecureETag™ jdoe | [Logout](#) | [Change Password](#) | [Help](#)

**Issue Tag** | **Replace Tag** | **Expire** | **Search** | **Administration** | **Reports** | **Seal Supply**

The tag is now active.

tag.jsp 1 / 1

**WYOMING**  
TEMPORARY PLACARD

VIN **3D73Y4CL8AG138021** YEAR **2010** MAKE **DODGE**  
MODEL **RAM** COLOR **BLUE / G**

**WY-000-069**

Expiration Date:  
**SEP 21 - 2018**

Place  
Security Seal  
Here

(Remove below section and keep in the vehicle)

Issue Date	Expiration Date	VIN	Year	Make	Model	Co/
07/23/2018	09/21/2018	3D73Y4CL8AG138021	2010	DODGE	RAM	BL - Y
Owner Name		Mailing Address	City	State	Zip	
DOE, JOHN E		123 HERE	CHEYENNE	WY	12345	
Dealer Number		Dealer Name	Issuing Location	Placard Number		
0005		Sample Dealer 1	Sample Dealer 1	WY-000-069		

**TEMPORARY PLACARD**

**Tag not appearing?**  
As an alternative to the tag showing at left, you may open it in a new window.

[Open Tag in New Window](#)

**Problem?**  
The tag is already active. If you are unable to print it or if it has errors, please use this button to expire the tag now.

[Expire This Tag](#)

21. After printing the tag, affix the selected security seal to the tag.



**Note:** Without the properly marked and affixed security seal, the temporary tag is not valid.

The procedure to affix the security seal is as follows:

21.1. Detach the selected SecureETag security seal through the perforation.



Remove the protective backing of the SecureETag security seal and affix it to the printed temporary tag.



- 21.2. Use a permanent marker (such as a Sharpie Extra Fine Point) to write the expiration date of the temporary tag on the security seal. Ensure that the expiration date matches what is on the tag.



21.3. Remove the white paper backing to expose the adhesive for the protective overlamine.



21.4. Seal the protective overlamine covering the handwritten expiration date.




## Replace a Tag



The application provides the ability to replace a temporary tag that is stolen, lost, damaged or has been misprinted. The issue and expiration dates remain the same as the initial temporary tag.

Procedure to replace a tag:

1. Click the **Replace Tag** tab.



The screenshot shows the 'Secure E Tag' application interface. At the top, there is a navigation bar with five tabs: 'Issue Tag', 'Replace Tag', 'Expire', 'Search', and 'Seal Supply'. The 'Replace Tag' tab is selected. Below the navigation bar, there is a text prompt: 'Enter the VIN of the vehicle or the Security Seal serial number of the tag to be replaced, and the reason for replacement, and select Verify to begin.' Below this prompt are three input fields: 'VIN' with a text box, 'Old Security Seal serial number' with a text box, and 'Replacement reason' with a dropdown menu showing 'Please select a reason'. Below the input fields is a 'Verify' button.

2. Enter either a VIN or an active security seal number.
3. Select a replacement reason. The possible reasons for replacement are:
  - Lost Tag
  - Stolen
  - Owner Damaged
  - Security seal contains errors or is damaged
4. Click the **Verify** button. 
  - 4.1. If the VIN or security seal has not been verified, an error message will be presented. Enter a correct security seal serial number or VIN and click the **Verify** button. 



5. Enter the serial number of the new security seal.

6. If you want to stop issuing tag, click the **Cancel** button, otherwise enter the serial number from the new security seal. Click the **Review Before Printing** button.

Review Before Printing

7. Review the **Issue Tag** input information. For this, the system shows a screen with all information that was entered. If you want to continue replacing the tag, click the **Issue Tag Now** button, otherwise click the **Cancel** button and the application will cancel the replacement process and will return to **Replace Tag** screen.

Issue Tag Now

Cancel

8. The application marks the initial temporary tag as Expired. Marks the replacement tag as **Active** and generates a PDF file so it can be printed. A print document dialog box opens; if there are no errors on the tag, print the tag. If there are errors in the replacement tag, click the **Expire This Tag** button and repeat this procedure to generate another replacement tag for this vehicle.



**Note:** Don't close the print document dialog box until making sure the *Temporary Tag* is printed correctly.

9. After printing the tag, affix the security seal to the tag according to the procedure in step 17 in section *Issue a new Tag*.



**Note:** Without the properly marked and affixed security seal, the temporary tag is not valid.

## Expire a Tag

Under normal conditions, all active temporary tags or seals will expire for one of the following reasons:

- The tag naturally expired at midnight of the expiration date.
- The existing tag is replaced because it has been lost or damaged.
- The tag is explicitly expired due to errors on the printed tag.
- The security seal is damaged or lost in transit.
- The vehicle has been registered by the County Treasurer, and a permanent registration has been assigned.


Procedure to expire a tag:

1. Click the **Expire** tab.




The screenshot shows the 'Secure E Tag' web application interface. At the top, there is a navigation bar with five tabs: 'Issue Tag', 'Replace Tag', 'Expire', 'Search', and 'Seal Supply'. The 'Expire' tab is currently selected. Below the navigation bar, there is a form titled 'Expire Tag'. The form contains the following elements:


- A header: 'Expire Tag'
- A prompt: 'Enter Security Seal Serial Number of the tag to expire.'
- A text input field labeled 'Security Seal serial number'.
- A dropdown menu labeled 'Expiration reason' with the text 'Please select a reason' and a downward arrow.
- A 'Go' button.

2. Enter the current security seal serial number.
3. Select an expiration reason. The possible reasons for expiration are:
  - Vehicle Returned.
  - Tag contains errors or is damaged.
4. Click the **Go** button. 

5. If the security seal has not been associated with a tag, you will receive an error. Click the **Start Over** button.



6. If the security seal has been associated with a tag, the Expire Tag screen will be displayed.



- 6.1. If this is not the correct tag, click the **No, Do Not Expire** button and the tag expiration process will be cancelled.
- 6.2. If the tag displayed is correct, click the **Yes, Expire This Tag** button and the tag will be successfully expired.

## Search Temporary Tags


Through this option the user may query the system and find important tag information, such as status, date of issue and expiration, to which vehicle it is assigned, etc.

You can search information about the temporary tag by two methods:

- Search by VIN
- Search by Security Seal


Search by VIN:

1. Click the **Search** tab.




The screenshot shows a navigation bar with five tabs: Issue Tag, Replace Tag, Expire, Search, and Seal Supply. The Search tab is selected. Below the tabs, the text reads "Enter VIN or Security Seal Serial Number to search." There are two input fields: "Security Seal serial number" and "VIN". A "Go" button is located below the input fields.

2. Enter a VIN, and click the **Go** button.
3. If the VIN is not found, SecureETag will indicate that no results were found, click the **New Search** button to do another search.



The screenshot shows the same navigation bar as the previous image. The Search tab is selected. Below the tabs, a message box displays "Your search found no results." and a "New Search" button.

- If multiple tags have been issued/expired for the VIN that was entered, a list of all tags will be shown. By clicking on any of the Security Seals #'s the detail screen will be shown for that tag.



SecureETag™ [mgill](#) [Logout](#) | [Change Password](#) | [Help](#)

Seal Supply Search Administration Reports Expire


Security Seal #	Dealer name	Sale date	Expires	Make	Model	Year	Expired?
<a href="#">WY-000-068</a>	Sample Dealer 1	Jul-23-2018	Sep-21-2018	JEEP	CHEROKEE	2014	Current
<a href="#">WY-000-066</a>	Sample Dealer 1	Jul-23-2018	Jul-23-2018	JEEP	CHEROKEE	2014	Expired
<a href="#">WY-000-065</a>	Sample Dealer 1	Jul-23-2018	Jul-23-2018	JEEP	CHEROKEE	2014	Expired

[New Search](#)

Powered by OpSec Security  
 Technical Support (OpSec) 1-844-796-7732  
 Support Email: [SecureETagSupport\\_Wyoming@opsecsecurity.com](mailto:SecureETagSupport_Wyoming@opsecsecurity.com)  
 Purchase Seals: <https://orders.opsecsecurity.com>

Version 4.0 - Copyright © 2018 OpSec Security, All rights reserved

- If only one record can be found for the information submitted, SecureETag will return the detail screen for the tag issued.



SecureETag™ [mgill](#) [Logout](#) | [Change Password](#) | [Help](#)

Seal Supply Search Administration Reports Expire

# CURRENT

**WYOMING**  
TEMPORARY TAG

SEP-21-2018

Make: DODGE      Model: RAM      Year: 2010  
Dealer: SAMPLE DEALER 1  
Sale Date: JUL-23-2018      Color: BLU/GRY  
VIN: 3D73Y4CL8AG138021

WY-000-069

Place label here

<b>Buyer name:</b>	JOHN E DOE
<b>Tag status:</b>	Issued
<b>Tag type:</b>	60 Days
<b>Issuing date:</b>	Jul-23-2018
<b>Multiple drivers:</b>	No


[New Search](#)

[See History If Any](#)

Powered by OpSec Security  
 Technical Support (OpSec) 1-844-796-7732  
 Support Email: [SecureETagSupport\\_Wyoming@opsecsecurity.com](mailto:SecureETagSupport_Wyoming@opsecsecurity.com)  
 Purchase Seals: <https://orders.opsecsecurity.com>


Version 4.0 - Copyright © 2018 OpSec Security, All rights reserved

- Click the **New Search** button to perform another search.





Search by Security Seal:


- Click the **Search** tab.



- Enter a security seal serial number, and click the **Go** button.
- If the security seal is not found in the inventory, the search will return no results, click the **New Search** button to do another search.

- If an available security seal is not associated with a temporary tag, SecureETag will return this information.



Secure E Tag™ [Logout](#) | [Change Password](#) | [Help](#)

Seal Supply Search Administration Reports Expire

Unfortunately, we were not able to find a temporary tag with that serial number. However, we have found a reference to a security seal with that serial number in our database.


Serial number:	WY-000-070
Security seal status:	Available
Associated location:	Sample Dealer 1

[New Search](#) [More Information](#)

Powered by OpSec Security  
 Technical Support (OpSec) 1-844-796-7732  
 Support Email: [SecureETagSupport\\_Wyoming@opsecsecurity.com](mailto:SecureETagSupport_Wyoming@opsecsecurity.com)  
 Purchase Seals: [link.to.orders.opsecsecurity.com](http://link.to.orders.opsecsecurity.com)


Version 4.0 - Copyright © 2018 OpSec Security. All rights reserved

- If the security seal can be found, SecureETag will indicate if it is associated with an active or expired temporary tag.




- If the security seal is found, you can find the history of the tags associated with the VIN by clicking the **See History If Any** button.

**See History If Any**



- To see the tag associated with the security seal, click on the **Security Seal number** in the history.





## Managing Seal Supply

---

Through this function the users can control and monitor the replenishment of inventory the Security Seals at their location.

This module contains detailed instructions for the following processes:

- Receive shipment
- Review shipments status

## Receive Shipment

When a batch of security seals is transferred to a Dealer's location, SecureETag sends an email to the user defined as responsible for receiving the delivery. This email contains detailed information about the shipment.



**Note:** All security seals in a shipment will automatically expire 30 days after shipment date if the shipment is not activated.


When you receive a shipment you can:

- Accept the shipment seals.
- Reject the shipment seals.

1. Accepting a shipment:


- 1.1. Click the **Seal Supply** tab.
- 1.2. Click the **Receive** sub-tab.
- 1.3. Verify shipment contents before accepting shipment.
- 1.4. Enter the shipment key (contained in the shipment slip), and click the **Accept Shipment** button.

**Accept Shipment**



From:  
MIGUEL GIL  
OpSec Security, Inc.  
3 Copley Place  
Boston PA 02116

### SHIPMENT SLIP

Shipment No. 32 Ship Date 11-23-2018 Expiration Date Aug-22-2018 Purchase Order F056C	To: sampledealer2 Jose Sample Dealer 2 123 HERE CHEYENNE WY 12345									
From: MIGUEL GIL OpSec Security, Inc. 3 Copley Place Boston PA 02116 Email: mgil@opsecsecurity.com	To: sampledealer2 Jose Sample Dealer 2 123 HERE CHEYENNE WY 12345									
Notes: Notes from shipment request: <b>Please Activate these seals within SecureETag as soon as possible to avoid expiration of the received seals. All security seals in this shipment will automatically expire within 30 days of shipment date if not activated.</b> To Receive or Reject the shipment, Enter Shipment Key in the Seal Supply/Receive sub-tab.										
Shipment Key:  <a href="https://www.sampletag.arkansas.gov/securetag/">https://www.sampletag.arkansas.gov/securetag/</a>										
Shipment contains: <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Begin</th> <th>End</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>WY-000-151</td> <td>WY-000-175</td> <td>25</td> </tr> <tr> <td colspan="2" style="text-align: right;"><b>Total:</b></td> <td><b>25</b></td> </tr> </tbody> </table>		Begin	End	Quantity	WY-000-151	WY-000-175	25	<b>Total:</b>		<b>25</b>
Begin	End	Quantity								
WY-000-151	WY-000-175	25								
<b>Total:</b>		<b>25</b>								
Seals not included: None										

Receive
Transfer
Status

See Shipment Slip for Shipment Key

Shipment Key


H2GC24

Accept Shipment


- Verify shipment contents before accepting shipment
- Damaged Seals? See Expire Tag.
- Small number of missing Seals? See Expire Tag.

Accept or Reject shipments as they arrive. Shipments expire within 30

- 1.5. The seals contained in this shipment are now active for your location, and can be attached to temporary tags.



- 1.6. Click the **Start Over** button to receive another shipment.




2. Reject a shipment:

- 2.1. Click the **Seal Supply** tab.

- 2.2. Click the **Receive** sub-tab.

- 2.3. Enter the shipment key (contained in the shipment slip), and click the **Reject Shipment** button.



Secure E Tag™

Home | Logout | Change Password | Help

Issue Tag | Replace Tag | Expire | Search | Administration | Reports | Seal Supply

Receive | Transfer | Status

Describe the problem  
Please give us a few words about why you're rejecting this shipment.

Reason for rejection

Carrier: Not specified (Optional)

Tracking number (Optional)

Notes (Optional)

Review Before Sending | Clear Shipment And Start Over

Powered by OpSec Security  
Technical Support (OpSec) 1-844-796-7732  
Support Email: SecureETagSupport\_Wyoming@opsecsecurity.com  
Purchase Seals: [Secure E Tag Seals](#)  
Version 4.0 - Copyright © 2018 OpSec Security, All rights reserved

- 2.4. Enter the reason why the shipment was rejected in the **Reason for rejection** field.
- 2.5. Optionally, you can specify the carrier used for shipping, the tracking number and the additional notes in the respective fields.
- 2.6. If you don't want to reject this shipment, click the **Clear Shipment And Start Over** button.
- 2.7. To continue the reject process, click the **Review Before Sending** button.

Secure E Tag™

Home | Logout | Change Password | Help




Issue Tag | Replace Tag | Expire | Search | Administration | Reports | Seal Supply

Receive | Transfer | Status

Review before sending  
Please review the information below before finalizing your rejection of this shipment and sending it.

Original shipment to:	Sample Dealer 1 123 HERE Cody CHURCHILL 00000
Original shipment from:	OpSec Security, Inc. 3 Copley Place Boston PA 02116
You are sending the rejected shipment to:	OpSec Security, Inc. 3 Copley Place Boston PA 02116
Reason for rejection	(Optional)

Send Rejected Shipment Now | Go Back A Step  
Clear Shipment And Start Over

- 2.8. To confirm the rejection reason and addresses, then click the **Send Rejected Shipment Now** button. 
- 2.9. To go back a step and change the rejection reasons click the **Go Back A Step** button. 
- 2.10. To cancel the rejection of this shipment, click the **Clear Shipment And Start Over** button. 

## Review Shipments Status

To review the status of all shipments to your location follow these instructions:

1. Click the **Seal Supply** tab.
2. Click the **Status** sub-tab and the screen below is displayed with all shipments sent to this location and its current status.

| jdoe | [Logout](#) | [Change Password](#) | [Help](#)

Secure E Tag™

Issue Tag
Replace Tag
Expire
Search
Administration
Reports
Seal Supply

Receive
Transfer
Status

**Shipments to your location:**

No.	Date	From	Quantity	Expires	Status	Tracking	Received	Recipient
33	Jul-25-2018	OpSec Security, Inc.	25	Aug-24-2018	Rejected	Not specified	Jul-25-2018	John Doe (jdoe)
22	Jul-06-2018	OpSec Security, Inc.	900	Aug-05-2018	Received	Not specified	Jul-06-2018	Sample_Super1 John (Sample_Super1)
14	Jun-25-2018	OpSec Security, Inc.	25	Jul-25-2018	Received	Not specified	Jun-25-2018	Jane Doe (Sample_Super)
13	Jun-25-2018	OpSec Security, Inc.	25	Jul-25-2018	Received	Not specified	Jun-25-2018	Jane Doe (Sample_Super)
12	Jun-25-2018	OpSec Security, Inc.	25	Jul-25-2018	Received	Not specified	Jun-25-2018	Jane Doe (Sample_Super)
11	Jun-25-2018	OpSec Security, Inc.	25	Jul-25-2018	Received	Not specified	Jun-25-2018	Jane Doe (Sample_Super)

**Shipments from your location:**

No.	Date	To	Quantity	Expires	Status	Tracking	Received	Recipient
34	Jul-25-2018	OpSec Security, Inc.	25	Aug-24-2018	In-Transit	Not specified null		

Please note: Shipments with status of "In-Transit" may or may not have been received by the carrier. Any other status is final. Also, tracking information is optional and will only appear if entered by the sender.

Chapter
<b>4</b>

---

## Managing Users Module

---

Through this function some users can create, edit, and disable user accounts.

This module contains detailed instructions for the following processes:


- Create user account
- Edit user account information
- Disable user account




**Note:** To have permission to access this module you should have the supervisor role.

# Create User Account

1. Click the **Administration** tab.
2. The sub-tab **Location & Users** shows the locations managed by the supervisor or administrator user.



3. Click the **Add A New User** button. 



Create a new user screen



4. Enter the user's personal information by filling the fields: **First name, Middle name, Last Name, Email and Phone number.**
5. Enter the username that the user used to access SecureETag. The username must be at least 2 characters otherwise the system will return an error message.
6. Enter the password in the field **Password**. Passwords must be at least eight (8) characters long and must contain at least one of each of the following characters.
  - Numbers (0-9).
  - Upper and lowercase letters (A-Z and a-z). The password is case-sensitive, so a "B" is different from a "b".
  - The following symbols: ! " # \$ % & ' ( ) \* + , - . / : ; < = > ? @ [ \ ] ^ { | } ~

If the password does not meet the minimum requirements the system will return an error message.





**Note:** Both the **Username** and the **Password** are **Case Sensitive**.

7. Select the location that you want to associate with the user.
8. Select the role that you want to assign to the user. The below table shows the available roles and the access permits for each one.


Role	Permissions
<b>Clerk</b>	<ul style="list-style-type: none"> <li>• Issue new temporary tags</li> <li>• Replace and expire existing temporary tags</li> <li>• Search for existing temporary tags</li> </ul> <p><b>Note:</b> This user type can only see tag information created for their own location (dealer or OMV office)</p>
<b>Supervisor</b>	<ul style="list-style-type: none"> <li>• Issue new temporary tags</li> <li>• Replace and expire existing temporary tags</li> <li>• Search for existing temporary tags</li> <li>• Run reports</li> <li>• Create new Clerk accounts</li> <li>• Manage existing Clerk accounts</li> </ul>



**Note:** The fields **Username, Password, Location** and **Role** are required.


9. If you want to stop creating the new user account, click the **Start over**  button.
10. If you want to continue creating the new user account, click the **Save New User**  button. The application will save the information and display a success confirmation message.




11. Click the **Start Over**  button to create other user.

## Edit User Account Information

1. Click the **Administration** tab.
2. The sub-tab **Location & Users** shows the locations managed by the supervisor or administrator user.



3. Click the  button to find the users associated with this location.



4. Select the radio button that belong to the user, and click the **Edit Selected User** button. The application shows a screen with all information about the selected user account.

The screenshot shows a web application interface with a navigation bar at the top containing buttons for 'Issue Tag', 'Replace Tag', 'Expire', 'Search', 'Administration', 'Reports', and 'Seal Supply'. Below this is a section titled 'Locations & Users'. Inside this section is a form titled 'Edit a user'. The form has the following fields and values:

- First name: JANE
- Middle name: (empty)
- Last name: DOE
- Email: mgil@opsecsecurity.com
- Phone Number: (empty)
- Username: jdoe
- Password: (masked with dots)
- Location: DEALER SAMPLE
- Role: Clerk (selected from a dropdown menu)

At the bottom of the form are two buttons: 'Save Changes' and 'Start Over'.

5. Change the relevant user information.



**Note:** You cannot edit the **Username** field.


6. Click the **Save Changes** button. The application will change the information and display a success confirmation message.


The screenshot shows a dark blue notification box with the text 'Changes were successfully saved.' and a 'Start Over' button at the bottom.


7. Click the **Start Over** button to edit other user.

## Disable User Account

1. Click the **Administration** tab.
2. The sub-tab **Location & Users** shows the locations managed by the supervisor or administrator user.





3. Click the  button to find the users associated with this location.





4. Select the radio button that belong to the user, and click the **Disable Selected User** button. A confirmation screen will display.


**Disable Selected User**

The screenshot shows a web application interface with a navigation bar at the top containing buttons for 'Issue Tag', 'Replace Tag', 'Expire', 'Search', 'Administration', 'Reports', and 'Seal Supply'. Below the navigation bar is a section titled 'Locations & Users'. A red note at the top of this section reads: 'Note: Disabled user can be reactivated only by OpSec Customer Support.' Below the note is a confirmation question: 'Are you sure you want to disable this user?'. A light blue box displays the user's details: 'First name John', 'Middle name', 'Last name Doe', 'Email', 'Username jdoe', 'Location DEALER SAMPLE', and 'Role Clerk'. At the bottom of this box are two buttons: 'Confirm Disabling' and 'Start Over'.

5. If you want to stop disabling this user account, click the **Start Over**  button.
6. If you want to continue disabling this user account, click the **Confirm Disabling**  button. The application will change the information and display a success confirmation message.

The screenshot shows the 'Locations & Users' section with a dark blue background. A white message box in the center reads: 'Changes were successfully saved.' Below the message is a 'Start Over' button.

7. Click the **Start Over**  button to disable  other user.



## Ordering Seals

---

Temporary Permit Seals and Teslin Temporary Permit Paper are obtained through the OpSec ordering system website: <https://orders.opsecsecurity.com>.


To obtain a user account in the OpSec ordering system, you must complete the OpSec Security Customer Maintenance Form (Page 52) and e-mail it to: [SecureETag\\_WYDOT\\_CS@opsecsecurity.com](mailto:SecureETag_WYDOT_CS@opsecsecurity.com)

Once OpSec receives the completed form, a user account will be created for you. You will receive an automated e-mail with instructions on how to log-in to the OpSec ordering system.

If you have trouble logging in, please send an email to [SecureETag\\_WYDOT\\_CS@opsecsecurity.com](mailto:SecureETag_WYDOT_CS@opsecsecurity.com) and someone from the support team will contact you.


# To Place an Order

1. Go to the OpSec ordering website
  - a. <https://orders.opsecsecurity.com>



[Privacy & Cookie Policy](#) | To disable the use of cookies on this website [click here](#)

2. Enter your username and password and you will gain access to the Ordering System. Once in, Click on the “Wyoming SecureETag” link on the left.





- Options for purchase all products related to the Wyoming SecureETag program will be available. OpSec will be offering both the Teslin Paper (Weather Proof) and the Seals in a kit that includes both. Simply enter the quantity next to the product you want to purchase and click “Add to Cart” once you are done proceed to checkout.

OpSec | Secure · Enhance · Protect Log out

HOME PAGE | T & C | SHOPPING CART | MY ACCOUNT | HISTORY | CONTACT US

Find Products →

### Brands

→ Wyoming SecureETag

## Wyoming SecureETag

Vehicle ID

Gallery List Showing 1 - 2 of 2 results  
Page 1 of 1

Pic	SKU:	Description	Status	UOM	Price	Quantity
	2110005	Teslin sheet 8.5in x 11in 25/pk		PACK	\$25.0000	<input type="text"/>
	2020368	Wyoming SecureETAG 50 rl		ROLL	\$187.5000	<input type="text"/>

Page 1 of 1 Add to Cart

4. Choose Shipping Method (Standard-Free) If you need to expedite, please note in Order Comments and call 717-293-4110 (Option #3) or send an email to SecureETag\_WYDOT\_CS@opsecsecurity.com. You must provide your shipping account number to expedite.

**Brands**

→ Wyoming SecureETag

Cart > Billing / Shipping > **Payment** > Order Placed

Qty	Description	UoM	Unit Price	Price
1	<b>Teslin sheet 8.5in x 11in 25/pk</b> SKU:OPS-2110005 <small>Expected Ship Date: 8/16/2018</small>	PACK	\$25.0000	\$25.0000
1	<b>Wyoming SecureETAG 50 ri</b> SKU:OPS-2020368 <small>Expected Ship Date: 8/9/2018</small>	ROLL	\$187.5000	\$187.5000

**NOTE:** The price below does not include freight, duties or taxes that may be applicable at the time of shipping your order. These will be added to your invoice accordingly.

<b>Sub Total</b>	<b>\$212.5000</b>
<b>Estimated Shipping Total</b>	<b>\$0.0000</b>
<b>Order Total</b>	<b>\$212.5000</b>

---

**Shipping Method Selection**

If you want to use your own carrier account for shipping, please provide the account number in the Account Number box below.

Select a Shipment Billing Preference  Add shipping to OpSec account

Select a Carrier\*

5. In the payment option if credit card is selected then the information for credit card must be filled in:

### Payment Info


Payment Method:  Credit Card  Bill Me

Name on Credit Card \*

Credit Card Type \*

Credit Card Number \*   
No spaces, no dashes

Expiration Date \*  /

CVV2 Code  \*

Terms **NET 30 DAYS**

6. Click "Place Order Now" when ready.

## Order Comments

---

---

## Place Order

---

Effective Order Date 8/7/2018

- I agree to the [TERMS AND CONDITIONS](#) and acknowledge that any changes made after the order is submitted could result in a \$40 (or equivalent in £, HK\$, or €) service fee.

**Place Order Now**



tel: +1 717 293 4110  
 1857 Colonial Village Lane, Lancaster, PA USA 17601  
[www.opsecsecurity.com](http://www.opsecsecurity.com)

## OpSec Security Customer Maintenance Form

Please provide the following information	
The BRAND you are licensed with	Wyoming SecureETag
Complete legal name	
Billing address	
Billing City and State	
Billing Postal Code	
Ship to name	
Ship to address	
Ship to address city and state	
Ship to Postal Code	
Accounts payable contact name	
Accounts payable contact email address	
Accounts payable contact phone number	
Order placement contact name	
Order placement contact email address	
Order placement contact phone number	
Order placement contact name (if others needed)	
Order placement contact email address	
Order placement contact phone number	
Once we receive this form, we will verify your account with WYDOT, set up your OpSec ordering account, and provide you with login, password, and ordering information.	

Chapter
<b>6</b>

## Troubleshooting

Common Issues and Solutions		
Error/Issue	Explanation	Remedy
<b>Logging In</b>		
The username or password entered was invalid	SecureETag could not log the user in. This is due to one of the following: an invalid login name, invalid password, locked or deactivated account. The password may have been entered incorrectly or changed, the username has been entered incorrectly, the account is locked or the account has been deactivated.	<p>Re-enter the username and password being careful to observe UPPER and lower case of <b>both</b> username and password.</p> <p>If the password has been forgotten it can be reset by selecting the "Forgot your password?" link below the user login screen. A new password will be sent to the user's email account.</p> <p>If your account is locked or deactivated, you will need to contact the Dealer Supervisor/Manager or the WYDOT to assist you with your account.</p>
Password Expired	After 90 days, your password must be changed to continue using your account.	You should be directed to a new page in which you are required to

		change your password before continuing.
<b>Common Issues and Solutions</b>		
<b>Error/Issue</b>	<b>Explanation</b>	<b>Remedy</b>
The password does not meet the minimum requirements for complexity. Ensure you have lower/upper case letters, numbers and punctuation characters.	The password for an account must be complex to ensure security guidelines provide an adequate level of protection.	Ensure that your password has a Minimum of 8 characters and includes a combination of lower case letters, upper case letters, symbols and numbers.
<b>Issuing a Tag</b>		
VIN number <number> could not be successfully looked up.	Not all valid VINs can be decoded. Vehicles manufactured before 1981 may not have VINs that can be decoded.	If a VIN cannot be decoded, it can still be used. When issuing a tag, the user will need to enter the vehicle Make, Model and Year as SecureETag cannot decode these fields.  Make sure the VIN is entered correctly. If the appropriate VIN is not decoded, re-enter it; SecureETag will override the decode process and accept the entered VIN.
A problem occurred: There is already an active tag associated with the VIN.	Only one active temporary tag can be associated with a vehicle. VINs that are shorter than 17 characters might have multiple tags associated with them, but each tag will be associated with a different vehicle. VINs with 17 characters are unique and only one tag may be associated with the vehicle and VIN.	Only one active temporary Tag can be associated with a vehicle. The current active tag can be replaced if it is lost or damaged.
There was a problem while preparing the tag: you already have a tag in memory for printing. Were you trying to prepare two tags in two windows at the same time?	You cannot have an open tag in one browser tab, and try to create a new one in a different tab.	Close one of the tabs.  Open a new browser if the problem persists.

The VIN must be alphanumeric.	A VIN cannot contain spaces or special characters.	Re-enter the VIN.
-------------------------------	--	-------------------

Common Issues and Solutions		
Error/Issue	Explanation	Remedy
A tag must have an owner's last name or an owner company name, not both.	The user attempted to enter information in both fields.	Enter either the owner's name or an owner company for the vehicle being purchased, but not both.
The last name must be at least one character.	Vehicle purchase procedures require the entry of a last name for a purchase by an individual.	Enter a last name.
The company name must be at least two characters.	The user cannot enter only one character for a company name.	Enter the company name.
The make must not be blank.	The user did not enter a vehicle make	Enter the vehicle make.
The model must not be blank.	The user did not select a vehicle model	Enter the vehicle model.
The vehicle year must be a number.	The user entered an invalid vehicle year	Enter the vehicle year.
The vehicle year was outside accepted bounds.	The system does not accept years before 1900 or more than one year after the current year.	Enter the vehicle year.
The purchase date must not be blank.	The user did not enter a vehicle purchase date.	Enter the purchase date in the format MM/DD/YYYY.
The purchase date wasn't readable. Please format the purchase date as MM/DD/YYYY. (Leading zeros may be omitted.)	The user entered an invalid purchase date that did not follow the MM/DD/YYYY format.	Enter the purchase date in the format MM/DD/YYYY, for example 03/21/2000.
The Security Seal serial number entered corresponds to a seal that is not available for use. Please re-enter your Security Seal number.	Mostly likely, the user made a typographical error in entering the security seal serial number.	Verify and re-enter the security seal serial number to ensure it matches the unused security seal you have in front of you.  If you receive this error again for the same seal, please bring it to the attention of the Supervisor at your location or the SecureETag Help Desk.
A problem occurred while trying to save the tag. Do not attach the Security Seal. The error message was: <message>.	The <message> may indicate that the seal is already in use.	



<b>Common Issues and Solutions</b>		
<b>Error/Issue</b>	<b>Explanation</b>	<b>Remedy</b>
The selected Security Seal is not available for use at this time.	Two users are attempting to enter the same security seal number at the same time.  OR A user has expired a seal while another user is preparing the tag.	Get a new security seal and start over.
There is an un-expired temporary tag for that VIN already. What would you like to do?	Users cannot issue a new tag for this VIN because a current temporary tag exists. Possible options are based on the user's privileges.	Only one active temporary tag can be associated with a VIN. Explore methods to expire or replace a temporary tag.
The purchase date cannot be more than <number> days ago.	A tag purchase date must be within the last 30 days.	
<b>Replacing a Tag</b>		
A problem occurred while attempting to look up the current tag on this vehicle: No current tag for the vehicle could be found.	There is not a current temporary tag for this VIN.	Ensure the VIN was entered correctly.  If the user is a motor vehicle dealer and this vehicle tag has been issued by another dealership, the user will not be able to see any information about this VIN.
Please enter a replacement reason.	The user has not selected a replacement reason.	Select a replacement reason.
The Security Seal serial number entered corresponds to a seal that is not available for use. Please re-enter your Security Seal serial number.	Most likely, the user made a typographical error in entering the security seal serial number.	Verify and re-enter the security seal serial number to ensure it matches the unused security seal you have in front of you.  If you receive this error again for the same seal, please bring it to the attention of the supervisor at your location or the SecureETag Help Desk.

Common Issues and Solutions		
Error/Issue	Explanation	Remedy
<b>Managing Seals</b>		
The user clicks the "Accept Shipment" button without entering a shipment key.	The screen transitions back to screen 1 of <i>Seal Supply</i> tab, with an error message to enter a Shipment Key.	Enter a shipment key.
The user attempts to accept a shipment which has expired.	An expired shipment can only be reset.	Contact the SecureETag Help Desk or the WYDOT to reset expired shipments.
Attempt to use a Security Seal from a shipment not successfully received.	In order for security seals to be available for tag issuance, they must be successfully received in the SecureETag application. Only properly received shipments will activate the security seals included in a shipment and make those seals available to the location.	As part of the receiving process, recipients need to enter the shipment key and indicate in the SecureETag application that the shipment has been accepted.
Shipment lost in transit	Should a shipment not be marked as received by its expiration date, it will expire the Seals. All security seals associated with that shipment will be unavailable for use.	Should anyone attempt to mark the shipment as received after it has expired, they will be instructed to return the shipment to the WYDOT.
Shipment delivered to incorrect location	If for any reason a shipment arrives at an incorrect location, the receiving location will not be able to activate the seals in the shipment.	Should they attempt to activate the seals, their location will be recorded in the SecureETag system for auditing purposes.
The user clicks the "Reject Shipment" button without entering a shipment key.	The screen transitions back to screen 1 of <i>Seal Supply</i> tab, with an error message instructing the user to enter a shipment key.	Enter a shipment key.

# Evaluation Form

## USERS PERSONAL DATA

Institution name

User name

Address

Telephone

Email

Country

City

## OPINION OF THIS MANUAL

Presentation

- Excellent
- Good
- Regular
- Deficient

Organization

- Excellent
- Good
- Regular
- Deficient

Content

- Excellent
- Good
- Regular
- Deficient

Redaction

- Excellent
- Good
- Regular
- Deficient

Recommendations

Observations

*OpSec Security Inc.* produces manuals which describe the correct use of the applications developed by us for you. Any suggestion or idea on the presentation or content of this manual will be studied by our team. **Your comments are important to us.**

**OS-UG001401-1.0 User's Guide - SecureETag<sup>™</sup> - Dealer Module**

